




















Feature	Benefits	Quick Screen View																					
<p>Tablet computers</p>	<p>Optimized for use on both large and small screens for portability!!!</p>																						
<p>Compatible with Windows 7 and Windows 8 / 8.1</p>	<p>Improved compatibility with the latest security features means User Account Control can remain on at all times!!!</p>																						
<p>Enhanced Scan Window</p>	<p>Testing screen has checkboxes and added buttons to modify items to be tested. Right clicking check-marked items allows the tincture to be changed on-the-fly before scanning</p>																						
<p>Improved Outcome Score Accuracy</p>	<p>Additional base readings and the scan pausing at regular intervals along with outcome scores that are no longer a factor of four results in more accurate readings.</p>	 <table border="1" data-bbox="1107 1360 1442 1507"> <tr><td>Total Tincture</td><td>0</td><td></td></tr> <tr><td>Total Tincture</td><td>0</td><td></td></tr> <tr><td>Total Tincture</td><td>-3</td><td></td></tr> <tr><td>Total Tincture</td><td>0</td><td></td></tr> <tr><td>Total Tincture</td><td>2</td><td></td></tr> <tr><td>Total Tincture</td><td>14</td><td></td></tr> <tr><td>Total Tincture</td><td>0</td><td></td></tr> </table>	Total Tincture	0		Total Tincture	0		Total Tincture	-3		Total Tincture	0		Total Tincture	2		Total Tincture	14		Total Tincture	0	
Total Tincture	0																						
Total Tincture	0																						
Total Tincture	-3																						
Total Tincture	0																						
Total Tincture	2																						
Total Tincture	14																						
Total Tincture	0																						
<p>Adjustable [Ab Top ##] button</p>	<p>The number of items selected when clicking the "Ab Top ##" button is no longer limited to just the top ten.</p>																						

<h3>Process Window Remains Open</h3>	<p>Perform additional process actions and/or add more items with different tinctures without recreating the process output list</p>															
<h3>Additional Dilutions/Tinctures</h3>	<p>The default dilutions/tinctures available now includes “Mother Tincture”, “1X”, “Multi Tincture”, “Total Tincture”, “All Dilutions”, and “Manufacturer”</p>															
<h3>Master Dilution Legend</h3>	<p>Clicking the [?] button next to the Master Dilution selector (above) displays an informative window describing each of the dilutions.</p>															
<h3>Detail Scan items within folders</h3>	<p>After scanning and selecting top abnormal folders a detail scan of items within those folders can easily be performed</p>	 <table border="1" data-bbox="1143 1310 1386 1476"> <thead> <tr> <th>Outcome</th> <th>Type</th> </tr> </thead> <tbody> <tr><td>14</td><td>[Icon]</td></tr> <tr><td>14</td><td>[Icon]</td></tr> <tr><td>14</td><td>[Icon]</td></tr> <tr><td>14</td><td>[Icon]</td></tr> <tr><td>11</td><td>[Icon]</td></tr> <tr><td>11</td><td>[Icon]</td></tr> </tbody> </table>	Outcome	Type	14	[Icon]	14	[Icon]	14	[Icon]	14	[Icon]	11	[Icon]	11	[Icon]
Outcome	Type															
14	[Icon]															
14	[Icon]															
14	[Icon]															
14	[Icon]															
11	[Icon]															
11	[Icon]															
<h3>Search library faster with more accuracy</h3>	<p>[Find] functionality returns more accurate results faster than ever before!</p>															

<p>“From Group” column in reports</p>	<p>Items on the Scan Readings Report indicate which folder it originated from within the Virtual Library</p>	 <table border="1"> <thead> <tr> <th>Items Tested</th> <th>From Group</th> </tr> </thead> <tbody> <tr> <td>1. Acid-base</td> <td>Body 100+ point system</td> </tr> <tr> <td>2. Anterior leg</td> <td>Lower limb muscular red</td> </tr> <tr> <td>3. Antimony</td> <td>Minerals, plant derived</td> </tr> <tr> <td>4. Apophysomyces elegans</td> <td>Mold & yeast pathogens</td> </tr> <tr> <td>5. Appendicular skeleton - lower</td> <td>Body 100+ point system</td> </tr> </tbody> </table>	Items Tested	From Group	1. Acid-base	Body 100+ point system	2. Anterior leg	Lower limb muscular red	3. Antimony	Minerals, plant derived	4. Apophysomyces elegans	Mold & yeast pathogens	5. Appendicular skeleton - lower	Body 100+ point system
Items Tested	From Group													
1. Acid-base	Body 100+ point system													
2. Anterior leg	Lower limb muscular red													
3. Antimony	Minerals, plant derived													
4. Apophysomyces elegans	Mold & yeast pathogens													
5. Appendicular skeleton - lower	Body 100+ point system													
<p>Extensive Beta Testing</p>	<p>Multiple iterations of beta testing with external testers have resulted in over a hundred fixes within the software.</p>	 <p>-----Original Message----- Sent: Monday, May 12, 2014 3:24 PM Subject: new beta19-0509 NANO v1.08 software</p> <p>Thank you for continuing to field(beta) test our r</p>												
<p>Upgrade with Confidence</p>	<p>Upgrading to BioScanSRT retains all of your existing patient/client data as well as all library data.</p>													






Feature	Benefits	Quick Screen View
<h3>Process Report</h3>	<p>The items, the location of that item in the Virtual Library, and the dilution of the item during Process can now be printed out as a report.</p>	
<h3>Energetix and Solutions4 Nutritionals</h3>	<p>The number of available nutritional modules for SRT users have grown! Solutions4 (Solutions4.com) & Energetix (goenergetix.com)</p>	
<h3>Change Dilutions on Process Screen</h3>	<p>Right click items loaded into the Process screen to change their dilution to something else</p>	
<h3>Burst Mode</h3>	<p>Instead of outputting every item in the Process window at once, they can be output in batches of 2, 5, 10, or 20 items at a time. *PLEASE NOTE* Burst Mode is off by default</p>	
<h3>Find Item or Folder from Scan Results</h3>	<p>Select an item in outcome results and easily locate it in the Virtual Library with use of the new "Find in VL Tree" button</p>	
<h3>Variable Text Size</h3>	<p>The size of text can be adjusted by clicking the [+] and [-] buttons in several areas of the software.</p>	

<h3>Additional Dilutions/Tinctures</h3>	<p>The default dilutions/tinctures available now includes “Mother Tincture”, “1X”, “Multi Acute”, “Multi Tincture”, “Total Tincture”, “All Dilutions”, “Multi Chronic” and “Manufacturer”</p>	
<h3>Relocated Buttons</h3>	<p>Scan and Process buttons are now conveniently located above the Virtual Library and Outcome Results</p>	
<h3>Access MSA reports from SRT</h3>	<p>MSA Reports are accessible without having to close SRT</p>	
<h3>PDF Reports</h3>	<p>PDF printing may be enabled by turning on PDF reports in Options tab of MSA Settings</p> <p>* PLEASE NOTE * PDF Reports is off by default; a PDF printer may still be used, and a PDF viewer must be installed on your system to open the PDF document</p>	
<h3>Extensive Beta Testing</h3>	<p>Multiple iterations of beta testing with external testers have resulted in over a hundred fixes within the software.</p>	<p>-----Original Message----- Sent: Monday, May 12, 2014 3:24 PM Subject: new beta19-0509 NANO v1.08 software</p> <p>Thank you for continuing to field(beta) test our n</p>
<h3>Upgrade with Confidence</h3>	<p>Upgrading to BioScanSRT retains all of your existing patient/client data as well as all library data.</p>	





Feature	Benefits	Quick Screen View
<h3>Process Report</h3>	<p>The items, the location of that item in the Virtual Library, and the dilution of the item during Process can now be printed out as a report.</p>	
<h3>Energetix and Solutions4 Nutritional</h3>	<p>The number of available nutritional modules for SRT users have grown! Solutions4 (Solutions4.com) & Energetix (goenergetix.com)</p>	
<h3>Change Dilutions on Process Screen</h3>	<p>Right click items loaded into the Process screen to change their dilution to something else</p>	
<h3>Find Item or Folder from Scan Results</h3>	<p>Select an item in outcome results and easily locate it in the Virtual Library with use of the new "Find in VL Tree" button</p>	
<h3>Variable Text Size</h3>	<p>The size of text can be adjusted by clicking the [+] and [-] buttons in several areas of the software.</p>	
<h3>Additional Dilutions/Tinctures</h3>	<p>The default dilutions/tinctures available now includes "Mother Tincture", "1X", "Multi Acute", "Multi Tincture", "Total Tincture", "All Dilutions", "Multi Chronic" and "Manufacturer"</p>	

<h3>Relocated Buttons</h3>	<p>Scan and Process buttons are now conveniently located above the Virtual Library and Outcome Results</p>	
<h3>Access MSA reports from SRT</h3>	<p>MSA Reports are accessible without having to close SRT</p>	
<h3>PDF Reports</h3>	<p>PDF printing may be enabled by turning on PDF reports in Options tab of MSA Settings</p> <p>*PLEASE NOTE* PDF Reports is off by default; a PDF printer may still be used, and a PDF viewer must be installed on your system to open the PDF document</p>	
<h3>Extensive Beta Testing, Upgrade with Confidence</h3>	<p>Multiple iterations of beta testing with external testers have resulted in over a hundred fixes within the software. Retains all of your existing data.</p>	
<h3>Larger New Client Screen</h3>	<p>Accurately enter new client information into your database</p> <p>Large entry fields and text size allows client to easily confirm</p>	
<h3>Updated Scan and Process Screens</h3>	<p>The Scan and Process screens have been improved with new features.</p> <p>Settings and Online Help are now available in the lower left. Right clicking allows change of Tincture.</p>	





<h3>Customizable Field Names</h3>	<p>“Practitioner” and “Client” fields in all reports can be renamed (i.e. to “Doctor” and “Patient”) under the Tools/Settings screen</p>	
<h3>Custom Header And Footer Wizard</h3>	<p>Create a header and footer image for use in reports using either an included image or your own image. You can also use a pre-written slogan or type in your own text</p>	
<h3>Expanded Settings Screens</h3>	<p>Screen interface options can be toggled on and off according to your preference. Additional options are available in the Gold version of software</p>	
<h3>Provoke Mode</h3>	<p>Test a group of items at the same time instead of one-by-one</p>	
<h3>Polar Graph</h3>	<p>Customizable Polar Chart available for reviewing outcome scores</p>	
<h3>P-Chart</h3>	<p>P-Chart displays graph of readings grouped by Meridians. Color-coded columns are grouped by organ after scanning the Info-Meridians folder</p>	
<h3>Burst Mode</h3>	<p>Output each item in rapid succession at a variable rate of 2, 5, 10, or 20 items per second. This differs from the default of simultaneously transmission. *PLEASE NOTE* Burst Mode is off by default</p>	

Feature	Benefits	Quick Screen View
<p>MSA and SRT software can both be open at the same time</p>	<p>Easily switch between MSA and SRT software without having to close the existing software first.</p>	
<p>Hardware status text is now visible on the screen</p>	<p>Quickly know whether the hardware is turned on and plugged in. Visual indicator reduces time troubleshooting.</p>	
<p>Disconnect and reconnect hardware without restarting the software</p>	<p>The software will attempt to reestablish communications if the connection is lost.</p> <p>*PLEASE NOTE* Intended only for use only accidental disconnects.</p>	
<p>Library [Find] can be filtered to only the selected folder</p>	<p>Limit searches to just the selected folder and easily build a protocol.</p> <p>*PLEASE NOTE* Searching the entire library is the default search mode.</p>	
<p>Library [Find] can now include or exclude hidden and discontinued items</p>	<p>Items which are hidden from within Custom Library Editor may now optionally appear in search.</p> <p>*PLEASE NOTE* Hidden and discontinued items are not visible by default.</p>	







<p>Import clinic information from MSA software on the same computer</p>	<p>Print consistent reports in MSA and SRT software with the same clinic information in the header.</p> <p>*PLEASE NOTE* Only clinic information will be imported, not patient details.</p>	
<p>Output library signals for a longer period of time</p>	<p>Items in the Current Hold can now be output for up to 60 minutes (formerly 20 minutes)</p>	
<p>Historic data now available for past Scan, Provoke, and Process sessions in the current visit</p>	<p>Easily review protocols in past visits without closing current visit</p> <p>Items and folders from past visits can be selected for easy scanning, provoking, or processing in current visit.</p>	
<p>PChart can now be printed from SRT Reports</p>	<p>PChart history can now be printed from SRT Reports either fully collapsed or fully expanded</p>	
<p>Library [Find] is now available in Custom Library</p>	<p>Search functional has been extended to also function in the Custom Library for ease of use.</p>	







Feature	Benefits	Quick Screen View
<p>Abnormal selector has a higher upper limit</p>	<p>The maximum number of items that can be selected has been increased to 500.</p>	
<p>Abnormals can be selected by range or by count</p>	<p>Can be selected by most abnormal, or by how far outside of balance range. (i.e. Range 42 selects all having an outcome score of 42 and above or -42 and below)</p>	
<p>Updated color ranges</p>	<p>Severely chronic now starts at +88 (former: +90) Severely acute now starts at -99 (former: -90)</p>	
<p>Added a software feedback feature to the Help menu</p>	<p>Menu option will open the default email client on your computer with both the "To:" and "Subject:" lines already filled out.</p>	




<p>Software will automatically close when computer goes to sleep</p>	<p>IHT recommends disabling sleep setting when the computer is plugged-in.</p> <p>However, if a computer goes to sleep, the software will now gracefully close.</p>	
<p>Historic data is available from the current visit</p>	<p>Scanned Items as well as Processed Items can now be selected from past visits and loaded into a current scan or process window.</p>	
<p>Additional report options are available</p>	<p>“Select Items by” options now include All items, Abnormals, Abnormal Count, Abnormal Range, or just Selected items.</p>	
<p>Discontinued and Hidden items are identified in the Virtual Library</p>	<p>Discontinued items are identified with a “D” and hidden items are identified with an “H”.</p> <p>DEFAULT: Hidden are not loaded</p>	







Feature	Benefits	Quick Screen View
<p>Item Count displayed next to Virtual Library folders</p>	<p>The number of items or folders within each Virtual Library is prominently displayed.</p>	
<p>[New Client] button is renamed based on Settings</p>	<p>SRT Settings allows your customers to be referred to as Clients, Patients, etc.</p> <p>When creating a new customer record, the [New] button now uses this customizable setting.</p>	
<p>More features available in Silver</p>	<p>Scans can now be performed on Items and on Library folders.</p> <p>Process can now be performed on Items and on Library folders.</p>	
<p>PChart renamed to MChart (Meridian Chart)</p>	<p>To reduce confusion between MSA and SRT, the SRT version of this report is now renamed to Meridian Chart.</p>	







<p>MChart uses same 5-color system as other reports</p>	<p>Organ systems in the Meridian Chart now use the same color system as SRT Base Reading Reports</p>	
<p>Polar Chart uses same 5-color system as other reports</p>	<p>Markers in the SRT Polar Chart now use the same color system as SRT Base Reading Reports</p>	
<p>New Polar Chart display options</p>	<p>Polar Charts can be sorted in ascending or descending order.</p> <p>Start position of the Polar Chart can now begin at four locations (0, 90, 180, or 270 degrees)</p>	
<p>Multiple errors and performance issues have been fixed</p>	<p>We have addressed several shutdown issues and error messages.</p> <p>We appreciate your Feedback!</p>	





Feature	Benefits	Quick Screen View
<p>Virtual Library Updates</p>	<p>Virtual Library updates are now available in the desktop SRT folder</p>	
<p>Dragging Items Within Custom Library Folders</p>	<p>Items can be moved up or down a folder either one line at a time or dragged multiple lines at a time in Custom Library Editor.</p>	
<p>Scrolling in Custom Library Editor</p>	<p>The custom library will scroll up or down when items are dragged to the top or bottom edges.</p>	
<p>Network SRT</p>	<p>Multiple computers running BioScanSRT software can now access a shared database with the purchase of Network SRT software.</p>	
<p>Sharing custom Libraries</p>	<p>VLEdit users can now share custom libraries having user-added items with other VLEdit users</p>	
<p>Thank You For Your Feedback</p>	<p>Several issues such as spelling and error messages were addressed in this update.</p>	

Feature	Benefits	Quick Screen View
<p>Library Searching</p>	<p>Text can be searched via any field of the Virtual and Custom Library</p> <p>(Default: Any fields)</p>	
<p>Example reports are visible</p>	<p>When selecting an SRT report, an example of each will be displayed</p>	
<p>More Genders Are Available</p>	<p>When adding or editing clients, additional Gender options are now available to select.</p>	
<p>Reorganized Client Profile Editor</p>	<p>Client Profile creation and editing screens are now easier to navigate.</p>	
<p>Optional Report Components</p>	<p>Many reports allow optional components to be excluded.</p>	
<p>More Report Options</p>	<p>Include specific visits, scans, provokes, and process in reports.</p>	

<p>Exporting Custom Libraries</p>	<p>Create a custom library file from the Scan, Process, and Process option screens.</p>	
<p>Select Multiple Items in Custom Library Editor</p>	<p>All [Find] results are visible, which allows multiple items to be inserted into a custom folder at the same time.</p>	
<p>Thank You For Your Feedback</p>	<p>Several issues such as spelling, error messages, and visibility issues were addressed.</p>	

Feature	Benefits	Quick Screen View
<p>Point Name Location</p>	<p>Point name can optionally be moved to the top.</p>	
<p>[Add More] Navigation</p>	<p>"Scan", "Provoke", and "Process" labels can be clicked after using [Add More] to return to that window without adding items.</p>	
<p>Paused Scan and Resume</p>	<p>Scan can be resumed without having to take another Base Reading</p>	
<p>SRT Reports</p>	<p>Category Grouping available for Scan reports in both ascending/descending order</p>	
<p>Foot Points</p>	<p>Foot points can be now be tested in addition to Hand points</p>	
<p>Physica Energetics</p>	<p>Physica Energetics Nutritional now available</p>	

<h3>Nutritional Modules</h3>	<p>Nutritional modules now have Select All, Select None, and Swap buttons.</p>	
<h3>Virtual Library Updates</h3>	<p>Database-scanning utility in desktop SRT folder can update multiple folders at the same time.</p>	
<h3>Export and Import</h3>	<p>Contents of Scan, Provoke, and Process windows can be exported and imported.</p>	
<h3>Provoke and Process</h3>	<p>[Provoke Library] and [Process Library] can be performed on historic visits</p>	
<h3>Improved Performance</h3>	<p>Virtual Library and Custom Library loads into memory faster</p>	
<h3>Custom Library Editor</h3>	<p>Changing the dilution/tincture of a custom library folder will update the dilution/tincture of everything inside of it.</p>	

<h3>Library Searching</h3>	<p>Improved performance when searching the Virtual Library and Custom Library.</p>	 <p>Please note that searching by "Item Name" through the "Full library" is the fastest way to perform a search. Other searches are slower, because they are more iterative, and may take a few minutes longer to complete.</p>
<h3>Image Builder</h3>	<p>Image Builder in the Settings screen enhanced for making better report headers and footers.</p>	
<h3>Deselect Items During Scans</h3>	<p>Added an optional setting to determine if items in scan window are still highlighted after each is scanned.</p>	
<h3>Voll Reading Visibility</h3>	<p>The same Voll reading that appears on equipment LCD screen is also visible in the scan window.</p>	
<h3>Thank You For Your Feedback</h3>	<p>Several issues such as spelling, error messages, and visibility issues were addressed.</p>	